



RFBLN Series – 1608(0603)- RoHS Compliance

MULTILAYER CERAMIC BALUN TRANSFORMER

Halogens Free Product

2.4 GHz ISM Band RF Application

P/N: RFBLN1608050AM8T62

*Contents in this sheet are subject to change without prior notice.

Approval sheet


FEATURES

- 1. Miniature footprint: 1.6 X 0.8X 0.5 mm³
- 2. Allowable for DC biasing
- 3. Low insertion loss which can reduce power consumption
- 4. Low in-band amplitude and phase imbalance enhances system performance
- 5. LTCC process

APPLICATIONS

- 1. Mobile/ Peripheral application
- 2. Bluetooth, Wi-Fi certificate compatible
- 3. RF/ Wireless Remote system available

CONSTRUCTION



PIN	Definition	PIN	Definition
P1	Unbalance Port	Ρ4	Balance Port
P2	DC or GND	Р5	GND
Р3	Balance Port	P6	NC


DIMENSIONS

Figure	Symbol	Dimension (mm)
E .	L	1.60 ± 0.15
	W	0.80 ± 0.15
	Т	0.50 ± 0.10
	А	0.175 ± 0.15
	В	0.25 ± 0.15
V T	С	0.25 ± 0.15
Top view Bottom view Side view	D	0.50 ± 0.15
	E	0.20 ± 0.15

ELECTRICAL CHARACTERISTICS

RFBLN1608050AM8T62	Specification		
Frequency range	2400 ~ 2500 MHz		
Insertion Loss	1.2 dB max		
Impedance (Unbalanced)	50 Ω		
Impedance (Balanced)	50 Ω		
Phase Difference	180° ± 10°		
VSWR	2.0 max		
Amplitude Difference	2.0 dB Max		
Moisture sensitivity levels	LEVEL 1 (Refer to : IPC/JEDEC J-STD-020)		
Storage Temperature Range: +5 ~ +40 °C Humidity: 30 to 70% relative humidity Typical Electrical Chart	210 200 190 190 180 160 160 Phase difference		
-40 - Insertion Loss -50			

SOLDER LAND PATTERN





Approval sheet

RELIABILITY TEST

Test item	Test condition / Test method	Specification
Solderability	*Solder bath temperature : $235 \pm 5^{\circ}C$	At least 95% of a surface of each terminal
JIS C 0050-4.6	*Immersion time $\stackrel{:}{\cdot}$ 2 \pm 0.5 sec	electrode must be covered by fresh solder.
JESD22-B102D	Solder:Sn3Ag0.5Cu for lead-free	
Leaching	*Solder bath temperature \div 260 \pm 5°C	Loss of metallization on the edges of each
(Resistance to	*Leaching immersion time \div 30 \pm 0.5 sec	electrode shall not exceed 25%.
dissolution of	Solder : SN63A	
metallization)		
IEC 60068-2-58		
Resistance to soldering heat	*Preheating temperature : $120~150^{\circ}$ C,	No mechanical damage.
JIS C 0050-5.4	1 minute.	Electrical specification shall satisfy the
	*Solder temperature : 270±5°C	descriptions in electrical characteristics under
	*Immersion time : 10±1 sec	the operational temperature range within -40 \sim
		85°C.
	Solder : Sn3Ag0.5Cu for lead-free	Loss of metallization on the edges of each
	Measurement to be made after keeping at	electrode shall not exceed 25%.
	room temperature for 24±2 hrs	
Drop Test	*Height : 75 cm	No mechanical damage.
JIS C 0044	*Test Surface : Rigid surface of concrete or	Electrical specification shall satisfy the
Customer's specification.	steel.	descriptions in electrical characteristics under
		the operational temperature range within -40 ~
	*Times : 6 surfaces for each units ; 2 times	85°C.
	for each side.	
Vibration	*Frequency : 10Hz~55Hz~10Hz(1min)	No mechanical damage.
JIS C 0040	*Total amplitude : 1.5mm	Electrical specification shall satisfy the
	*Test times : 6hrs.(Two hrs each in three	descriptions in electrical characteristics under
	mutually perpendicular directions)	the operational temperature range within -40 ~
	mutually perpendicular directions)	85°C.
Adhaniya Strangth		
Adhesive Strength of Termination	*Pressurizing force :	No remarkable damage or removal of the
JIS C 0051- 7.4.3	5N(≦0603);10N(>0603)	termination.
	*Test time : 10±1 sec	
Bending test	The middle part of substrate shall be	No mechanical damage.
JIS C 0051- 7.4.1	pressurized by means of the pressurizing rod	Electrical specification shall satisfy the
	at a rate of about 1 mm/s per second until the	descriptions in electrical characteristics under
	deflection becomes 1mm/s and then pressure	the operational temperature range within -40 ~
	shall be maintained for 5±1 sec.	85°C.
	Measurement to be made after keeping at	
	room temperature for 24±2 hours	



Approval sheet

Temperature cycle JIS C 0025	 30±3 minutes at -40°C±3°C, 10~15 minutes at room temperature, 30±3 minutes at +85°C±3°C, 10~15 minutes at room temperature, Total 100 continuous cycles Measurement to be made after keeping at room temperature for 24±2 hrs 	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
High temperature JIS C 0021	*Temperature : 85°C±2°C *Test duration : 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
Humidity (steady conditions) JIS C 0022	 *Humidity : 90% to 95% R.H. *Temperature : 40±2°C *Time : 1000+24/-0 hrs. Measurement to be made after keeping at room temperature for 24±2 hrs ※ 500hrs measuring the first data then 1000hrs data 	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.
Low temperature JIS C 0020	*Temperature : -40°C±2°C *Test duration : 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85°C.

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2,





Fig 2. Infrared soldering profile

ORDERING CODE

RF	BLN	160805	0	Α	M8T62
Walsin	Product Code	Dimension code	Unit of dimension	Application	Specification
RF device	BLN : BALUN	Per 2 digits of Length, Width, Thickness : e.g. : 160806 = Length 16, Width 08, Thickness05	0 :0.1 mm 1 :1.0 mm	A : 2.4GHZ ISM Band	Design Code


Minimum Ordering Quantity: 4000 pcs per reel. PACKAGING



Paper Tape specifications (unit :mm)

Index	Ao	Во	ΦD	Т	W
Dimension (mm)	0.975± 0.10	1.76 ± 0.10	1.55 + 0.05	$\textbf{0.75} \pm \textbf{0.10}$	$\textbf{8.0}\pm\textbf{0.10}$
Index	E	F	Po	P1	P2
Dimension (mm)	1.75 ± 0.10	3.50 ± 0.05	4.00 ± 0.10	4.00 ± 0.10	2.00 ± 0.05

Reel dimensions



Taping Quantity: 4000 pieces per 7" reel

CAUTION OF HANDLING

Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection.
- (2) Storage environment condition.
 - Products should be storage in the warehouse on the following conditions.
 - Temperature : +5 to +40°C
 - Humidity : 30 to 70% relative humidity
 - Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
 - Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
 - Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
 - Products should be storage under the airtight packaged condition.